

CLINICAL POLICY ADVISORY GROUP (CPAG)

Breast Reduction Surgery Policy

Statement

Derby and Derbyshire CCG, in line with its principles for procedures of limited clinical value has deemed that Breast Reduction Surgery should not routinely be commissioned unless the criteria are met.

The CCG will fund breast-reduction surgery when **all** the following criteria are met:

- Sexual maturation has been reached
- BMI is between 18 – 25 kg/m² and has been within this range for one year as measured and recorded by the NHS*
- Confirmed non-smoker and/or documented abstinence for at least 6 months prior to procedure
- Breast size is equal to or greater than 1000cc in each breast
- Ratio of combined breast volume to adjusted partial torso volume is greater than 13% as measured by 3D body scan to assess breast volume**
- Patient is suffering from documented intractable intertrigo under the breasts and/or ulceration from breast straps not responding to conservative treatments e.g., topical medications, bra support.
- Anticipated reduction in breast volume is at least 500g (or more) per side, as the aims are to reduce symptoms, not to provide a desired cosmetic appearance.

NB: Clinical photographs are not required for this procedure.

*The BMI requirement is fixed and does not relate to the weight of the tissue to be removed

**Where a 3D scan is not available the commissioner defaults to the NHSE EBI position of a difference of 150 - 200gms size as measured by a specialist.

These commissioning intentions will be reviewed periodically. This is to ensure affordability against other services commissioned by the CCG.

1. Background

The size of women's breasts may be determined by several factors, such as inherited genes, body weight and hormonal influences. Big breasts can cause problems like back or neck pain, shoulder grooves in the shoulders from bra straps, and rashes underneath the breasts.

Breast reduction surgery (also known as Reduction Mammoplasty) aims to reduce the size of the breasts, by taking away fat, breast tissue and skin, usually to relieve symptoms of pain, rashes and infections. The nipples are lifted and the breasts are reshaped to form smaller breasts. Breast reduction surgery is usually carried out under a general anaesthetic (so you would be asleep) or a regional anaesthetic (where the whole area is numbed with injections). The operation usually takes about two hours.

2. Recommendation

The CCG will fund breast-reduction surgery when **all** the following criteria are met:

- Sexual maturation has been reached
- BMI is between 18 – 25 kg/m² and has been within this range for one year as measured and recorded by the NHS*
- Confirmed non-smoker and/or documented abstinence for at least 6 months prior to procedure
- Breast size is equal to or greater than 1000cc in each breast
- Ratio of combined breast volume to adjusted partial torso volume is greater than 13% as measured by 3D body scan to assess breast volume**
- Patient is suffering from documented intractable intertrigo under the breasts and/or ulceration from breast straps not responding to conservative treatments e.g., topical medications, bra support.
- Anticipated reduction in breast volume is at least 500g (or more) per side, as the aims are to reduce symptoms, not to provide a desired cosmetic appearance.

NB: Clinical photographs are not required for this procedure.

*The BMI requirement is fixed and does not relate to the weight of the tissue to be removed

**Where a 3D scan is not available the commissioner defaults to the NHSE EBI position of a difference of 150- 200gms size as measured by a specialist

The policy should also be read in conjunction with the following DDCCG policy:

- [Breast Reduction Surgery for Gynaecomastia \(Male\) Policy](#)

3. Rationale for Recommendation

The evidence from one systematic review and three non-randomized studies highlights that breast reduction is only successful in specific circumstances. Physical and psychological improvements, such as reduced pain, increased quality of life and less anxiety and depression were found for women following breast reduction surgery

Breast reduction surgery can cause permanent loss of lactation function of breasts, as well as decreased areolar sensation, bleeding, bruising, and scarring and often alternative approaches (e.g. weight loss or a professionally fitted bra) work just as well as surgery to reduce symptoms. For women who are severely affected by complications of large breasts

and for whom alternative approaches have not helped, surgery can be offered. The aim of surgery is not cosmetic, it is to reduce symptoms (e.g. back ache).

4. Useful Resources

- NHS Website: Breast Reduction on the NHS <https://www.nhs.uk/conditions/breast-reduction-on-the-nhs/>
- British Association of Aesthetic Plastic Surgeons. Breast Reduction https://baaps.org.uk/patients/procedures/7/breast_reduction
- Surgery for Breast Reduction. Academy of Royal Colleges. Information for Patients. <https://www.aomrc.org.uk/ebi/wp-content/uploads/2021/05/breast-reduction.pdf>

5. References

- Royal College of Surgeons of England (2014) Commissioning Guide: Breast Reduction. <https://www.rcseng.ac.uk/-/media/files/rcs/standards-and-research/commissioning/breast-reduction-surgery-commissioning-guide-published-v2.pdf>
- Surgery for Breast Reduction. Academy of Royal Colleges <https://www.aomrc.org.uk/ebi/clinicians/breast-reduction/>
- British Association of Aesthetic Plastic Surgeons. Glossary [Internet]. [cited 2021 Dec 20]. Available from: <https://baaps.org.uk/patients/glossary/>

6. Appendices

Appendix 1 - Consultation

All relevant providers/stakeholders will be consulted via a named link consultant/specialist. Views expressed should be representative of the provider/stakeholder organisation. CPAG will consider all views to inform a consensus decision, noting that sometimes individual views and opinions will differ.

Consultee	Date
Consultant, UHDBFT	December 2021
Consultant, CRHFT	December 2021
Clinical Policy Advisory Group (CPAG)	February 2022
Clinical and Lay Commissioning Committee (CLCC)	March 2022
Director of Public Health, Derby City Council	November 2023
Consultant Plastics Surgeon, UHDB	November 2023
Lead Plastic Surgery Specialist Nurse, DDICB Cosmetics Referral Assessment Service (RAS)	November 2023
Nurse Practitioner, Plastics Surgery, NUH	November 2023
Head of Plastic Surgery, NUH	November 2023
Specialty General Manager for Plastics, NUH	November 2023
Clinical Policy Advisory Group (CPAG)	December 2023
Population Health Strategic Commissioning Committee (PHSCC)	January 2024

Appendix 2 - Document Update

Document Update	Date Updated
<u>Version 3.0</u> <ul style="list-style-type: none"> Policy has been re-worded and reformatted to reflect the DDCCG clinical policies format. This includes the addition of background information, useful resources, references and consultation. 	December 2021
<u>Version 3.1</u> <ul style="list-style-type: none"> Hyperlink added for Breast Reduction Surgery for Gynaecomastia (Male) Policy. Addition of definition of Breast Reduction surgery. 	February 2022
<u>Version 3.2</u> <ul style="list-style-type: none"> Addition of following statement "The BMI requirement is fixed and does not relate to the weight of the tissue to be removed" 	November 2023